## AMENDMENTS TO THE CLAIMS

1. (Currently amended) A polymer compound comprising:

an alkali soluble group (i), wherein

at least one hydrogen atom of the alkali soluble group (i) is substituted by an acid dissociable, dissolution inhibiting group (ii) represented by a general formula (1):

$$--CH_2-O-(-CH_2)_n-R_1$$

(1)

(wherein R<sub>1</sub> represents a cycloaliphatic group which contains no more than 20 carbon atoms and may contain an oxygen atom, a nitrogen atom, a sulfur atom, or a halogen atom, and n represents 0 or an integer of 1 to 5[[.]]), and wherein

the polymer compound exhibits changed alkali solubility under the action of an acid.

- 2. (Currently amended) A polymer compound according to claim 1, wherein the alkali soluble group (i) is at least one selected from the group consisting of an alcoholic hydroxyl group, a phenolic hydroxyl group, or and a carboxyl group.
- 3. (Original) A polymer compound according to claim 2, wherein a carbon atom adjacent to the carbon atom bonded to the alcoholic hydroxyl group is bonded to at least one fluorine atom.
- 4. (Original) A polymer compound according to claim 1, wherein the cycloaliphatic group contains an adamantane backbone.
- 5. (Original) A polymer compound according to claim 1, wherein R<sub>1</sub> represents the cycloaliphatic group containing at least one hydrophilic group.

## US National Phase of PCT/JP2005/001228 Filed: Herewith

- 6. (Original) A polymer compound according to claim 1, wherein the hydrophilic group is at least one selected from the group consisting of a carbonyl group, an ester group, an alcoholic hydroxyl group, ether, an imino group, and an amino group.
  - 7. (Original) A compound represented by a general formula (2):

$$R_2$$
 $O$ 
 $O$ 
 $CH_2$ 
 $R_1$ 
 $(2)$ 

(wherein R<sub>1</sub> represents a cycloaliphatic group which contains no more than 20 carbon atoms and may contain an oxygen atom, a nitrogen atom, a sulfur atom, or a halogen atom; n represents 0 or an integer of 1 to 5; and R<sub>2</sub> represents a hydrogen atom, a fluorine atom, a lower alkyl group containing 1 to 20 carbon atoms, or a fluorinated lower alkyl group containing 1 to 20 carbon atoms.).

8. (Currently amended) A compound according to claim 7, represented by a general formula (3):

$$R_2$$
 $O$ 
 $O$ 
 $CH_2$ 
 $n'$ 
 $(3)$ 

(wherein R<sub>2</sub> represents the same as the aforementioned a hydrogen atom, a fluorine atom, a lower alkyl group containing 1 to 20 carbon atoms, or a fluorinated lower alkyl group containing 1 to 20 carbon atoms, X represents two hydrogen atoms or an oxygen atom, and n' represents 0 or 1.).

US National Phase of PCT/JP2005/001228
Filed: Herewith

- 9. (Original) A polymer compound according to claim 1, comprising a structural unit (a1) derived from the compound according to claim 7.
- 10. (Original) A polymer compound according to claim 1, comprising a structural unit (a1) derived from the compound according to claim 8.
- 11. (Original) A polymer compound according to claim 9, further comprising a structural unit (a3) derived from (meth)acrylate containing a lactone-containing monocyclic or polycyclic group.
- 12. (Original) A polymer compound according to claim 11, wherein the structural unit (a3) comprises at least two mutually different structural units derived from (meth)acrylate containing a lactone-containing monocyclic or polycyclic group.
- 13. (Original) A polymer compound according to claim 11, further comprising a structural unit (a4) derived from (meth)acrylate containing a polar group-containing polycyclic group.
- 14. (Currently amended) A polymer compound according to claim 9, further comprising a structural unit (a6) represented by a general formula (4):

US National Phase of PCT/JP2005/001228
Filed: Herewith

(wherein  $R_2$  represents the same as the aforementioned a hydrogen atom, a fluorine atom, a lower alkyl group containing 1 to 20 carbon atoms, or a fluorinated lower alkyl group containing 1 to 20 carbon atoms, X' represents a divalent or trivalent cyclic group, Y represents an alkylene or alkyleneoxy group containing 1 to 6 carbon atoms which is divalent, p and q independently represent an integer of 1 to 5, and s represents an integer of 1 or 2.).

## 15. (Currently amended) A photoresist composition comprising:

a base material resin component (A) which exhibits changed alkali solubility under the action of an acid; and

an acid generator component (B) which generates the acid on exposure to radiation, wherein

the base material resin component (A) is the polymer compound according to any one of claims claim 1, 9, or 10.

16. (Original) A photoresist composition according to claim 15, further comprising a nitrogen-containing organic compound (D).

## US National Phase of PCT/JP2005/001228 Filed: Herewith

17. (Original) A resist pattern formation method comprising:

forming a photoresist film on a substrate using the photoresist composition according to claim 15:

exposing the photoresist film; and

developing the exposed photoresist film to form a resist pattern.